



heliosphere® BAG

INTRAGASTRIC AIR BALLOON

Characteristics

Obesity is a danger for the health and the quality of patient's life. As a minimally invasive, reversible and comfortable medical implant, HELIOSPHERE® BAG is a guarantee of safe and effective treatment for obesity.

Non-surgical and minimally invasive

- Implanted in around 30 minutes by endoscopic route without the need to hospitalise the patient.

Inflated with air

- Light so reducing post-implantation nausea, vomiting and the feeling of pain.

Temporary

- The implant is left in place for 6 months.

Airtight

- Initial volume assured.

Easy to put in place

- Patented cover removal system.

Easy to extract

- Reduction in extraction force and wall thickness.

LNE/G-Med CE marking



VOLUME OF INFLATED BALLOON **550 cm³**

Ø 10 cm

60 cc
x10

HELIOSPHERE® BAG

Ø 10 cm

- 1 double-pouch balloon
- 1 insertion kit pre-connected to the balloon
- 1 X 60 cc syringe


HELIOSPHERE® BAG-EXTRACT

- 1 deflation needle
- 1 pair of extraction forceps
- 1 universal connector for aspiration tube



heliosphere® BAG

INTRAGASTRIC AIR BALLOON



Indications

It is important for the success of the treatment that the use of the HELIOSPHERE® BAG intragastric balloon is accompanied by dietetic and medical monitoring.

Obesity (BMI 30-40)

- Serious medical risks.

Type II diabetes

- Difficult to balance due to excess weight.

Surgery for obesity (BMI >35-40)

- Anaesthetic or surgical contra-indication or refusal to surgery.

For pre-operative use or for morbid obesity, the use of the HELIOSPHERE® BAG PRE OP intragastric balloon is recommended.

Results

Once inflated, the balloon reduces the nominal volume of the stomach. By acting on the mechano-receptors in the upper part of the stomach, the HELIOSPHERE® BAG stimulates a rapid feeling of satiety at meals. The patient eats less and loses weight.

Efficacy

- Loss of weight, even up to 24 kg.⁽¹⁾

Tolerance

- Vomiting lasts for less than 3 days.⁽²⁾
Less than 1% of balloons extracted early.⁽²⁾

Eating habits

- Change of eating habits by learning to eat reasonable quantities.

BIBLIOGRAPHY

⁽¹⁾ Tolerance And Efficacy Of An Air-Filled Balloon In Non-Morbidly Obese Patients... F. Mion. *Obesity Surgery*, 2007; 17, 764-769

Posters from the World Congress Of IFSO : Air Filled Intra-gastric Balloon (Bag): Italian Multicentric Results. S. Giovannelli (2007),

Heliosphere Intra-gastric Air Balloon: Our Initial Experience In The Dominican Republic. Dk Ramirez. (2006), Intra-gastric Balloon For Obesity: Comparative Study With 420 Patients: New Generation Airfilled Vs Liquid-Filled. C Hermida. (2006) or from the UEGW : Primary Experience With Air Filled Intra-gastric Balloon Confronted To Liquid Intra-gastric Balloon Literature Data. H. Claudez (2005)

FROM TECHNOLOGY TO HUMAN

HELIOSCOPE - Rue des Frères Lumière - BP 385 - 38217 Vienne - FRANCE
 Tel. +33 (0)4 74 16 18 18 - Fax +33 (0)4 74 16 18 10 - contact@helioscopie.fr

www.helioscopie.fr

Compagnie européenne d'étude et de recherche de dispositifs pour l'implantation par Laparoscopie
 PLC WITH A CAPITAL OF €45,060 - VIENNE TRADE AND COMPANIES REGISTER N° 429 085 483